

METRO THERM A/S

METROSAVER DUO 60

ENERG

енергия · ενεργεια


IJA

IA

Υ

IE

∭∭ 35 °C







IJA Υ ENERG IE IA енергия · ενεργεια

METRO THERM A/S

METROSAVER DUO 60

55 °C





Supplier's name:	METRO THERM A/S		
Model:	METROSAVER DUO 60		
Temperature application	35	55	С°
Declared load profile for water			
heating			
Seasonal space heating energy	A++	A++	
efficiency class, average climate:			_
Water heating energy efficiency			
class, average climate:		1	
Rated heat output, average climate:	67	67	kW
Annual energy consumption for	30169	38048	kWh
space heating, average climate	00100		
Annual electricity consumption for			kWh
water heating, average climate			
Seasonal space heating energy	176	138	%
efficiency, average climate:			
Water heating energy efficiency,			%
average climate:			
Sound power level LWA indoors	47		dB
Rated heat output, cold climate:	67	67	kW
Rated heat output, warm climate:	67	67	kW
Annual energy consumption for	34918	43924	kWh
space heating, cold climate			
Annual electricity consumption for			kWh
water heating, cold climate			
Annual energy consumption for space heating, warm climate	19396	24446	kWh
Annual electricity consumption for			_
water heating, warm climate			kWh
Seasonal space heating energy			_
efficiency, cold climate:	181	142	%
Water heating energy efficiency, cold			
climate:			%
Seasonal space heating energy		400	0/
efficiency, warm climate:	177	138	%
Water heating energy efficiency,			0/
warm climate:			%
Sound power level LWA outdoors		-	dB

Data for package fiche

Controller class	II		
Controler contribution to efficiency	2		%
Seasonal space heating energy			
efficiency of package, average	178	140	%
climate:			
Seasonal space heating energy efficiency class for package, average climate:	A+++	A++	%
Seasonal space heating energy efficiency of package, cold climate:	183	144	%
Seasonal space heating energy efficiency of package, warm climate:	179	140	%