

IJA ENERG IE IA енергия · ενεργεια

METRO THERM A/S

METROSAVER DUO 40

































B





ENERG Y UA ΕΝΕΡΓΙΙΑ · ενεργεια ΙΕ ΙΑ

METRO THERM A/S

METROSAVER DUO 40





























B

C


D

E

G



2015



Supplier's name:	METRO THERM A/S		
Model:	METROSAVER DUO 40		
Temperature application	35	55	°C
Declared load profile for water			
heating			
Seasonal space heating energy	A++	A++	
efficiency class, average climate:			
Water heating energy efficiency			
class, average climate:			
Rated heat output, average climate:	46	46	kW
Annual energy consumption for	19996	25093	kWh
space heating, average climate	10000		
Annual electricity consumption for			kWh
water heating, average climate			KVVII
Seasonal space heating energy	182	143	%
efficiency, average climate:	.02		
Water heating energy efficiency,			%
average climate:			15
Sound power level LWA indoors	47		dB
Rated heat output, cold climate:	46	46	kW
Rated heat output, warm climate:	46	46	kW
Annual energy consumption for	22939	28857	kWh
space heating, cold climate	22000		
Annual electricity consumption for			kWh
water heating, cold climate			
Annual energy consumption for space heating, warm climate	12931	16202	kWh
Annual electricity consumption for			
water heating, warm climate			kWh
Seasonal space heating energy	400	4.40	0.4
efficiency, cold climate:	190	149	%
Water heating energy efficiency, cold			0/
climate:			%
Seasonal space heating energy	182	144	%
efficiency, warm climate:	102	144	7/0
Water heating energy efficiency,			%
warm climate:			/0
Sound power level LWA outdoors			dB

Data for package fiche

Controller class	II		
Controler contribution to efficiency	2		%
Seasonal space heating energy efficiency of package, average climate:	184	145	%
Seasonal space heating energy efficiency class for package, average climate:	A+++	A++	%
Seasonal space heating energy efficiency of package, cold climate:	192	151	%
Seasonal space heating energy efficiency of package, warm climate:	184	146	%